

TEST REPORT No. 134858/23/INT

| | | |
|--|------------|---|
| Client: Aromara d.o.o., Ulica Ivana Perkovca 19, 10292 Harmica, Sample No 4 | | Description of the sample (<i>as per Client's declaration</i>) 954/23 Sunshine - za ljetnu njegu kože i kose lješnjak - sezam 100 ml. |
| Sample reception date: | 14.03.2023 | |
| Test report date: | 28.04.2023 | |

**Dermatological test - Semi-open test (25 subjects, without
allergological history)**

Prepared by: Anna Adamska, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

TEST REPORT No. 134858/23/INT**THE STUDY IS COMPLIANT WITH:**

Regulation of the European Parliament and of the Council (EC) No. 1223/2009 of 30 November 2009 on Cosmetic Products;

Cosmetics Europe – The Personal Care Association (formerly COLIPA) Guidelines: “Product Test Guidelines for the Assessment of Human Skin Compatibility 1997”;

Cosmetics Europe – The Personal Care Association (formerly COLIPA) Guidelines for the Evaluation of the Efficacy of Cosmetic Products 2008.

Prepared by: Anna Adamska, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

TEST REPORT No. 134858/23/INT**LIST OF CONTENTS**

1. Basis of the study
2. Object of the study
3. Qualitative composition of the product
4. Purpose of the study
5. Description of volunteers
6. Testing methodology
7. Date of the study
8. Evaluation parameters
9. Results
 - 9.1. Characteristics of volunteers
 - 9.2. Table of skin response
10. Calculated values
11. Interpretation
12. Conclusion
13. Signatures

Prepared by: Anna Adamska, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

TEST REPORT No. 134858/23/INT

1. BASIS OF THE STUDY

The test sample was delivered by the Client.

The qualitative composition of the product was delivered by the Client.

The results of microbiological purity of the product provided by the Client (or the Client's declaration concerning microbiological purity) do not apply to low microbiological risk products.

The Client is responsible for compliance with the declared qualitative composition and microbiological purity of the product sample sent for testing.

2. OBJECT OF THE STUDY

| Parameter | Description |
|------------|---|
| Appearance | Dense liquid |
| Color | Yellow, transparent |
| Fragrance | Characteristic for raw materials (or fragrance composition) |
| Packaging | Replacement packaging containing the name and sample number for testing |

3. QUALITATIVE COMPOSITION OF THE PRODUCT

The qualitative composition was delivered to the Laboratory by the Client before the start of the study.

4. PURPOSE OF THE STUDY

The purpose of the study was to assess irritating properties (skin tolerance) of the product on a healthy adult skin, with applied patch test.

Prepared by: Anna Adamska, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

TEST REPORT No. 134858/23/INT

5. DESCRIPTION OF VOLUNTEERS

The volunteers (25 people) were healthy, with negative history of allergies. The selection of the group included the criteria of inclusion and exclusion. General inclusion criteria: healthy men and women over 18 years old, phototype: I-IV on Fitzpatrick scale, Caucasians, skin without irritations or changes requiring pharmacological treatment. General exclusion criteria: volunteers who use any treatment on the skin area subject to the study, volunteers exhibiting or having a known history of acute or chronic dermatological, medical and/or physical conditions that could influence the outcome of the study, pregnant or breastfeeding women or women planning a pregnancy during the study. None of the volunteers reported documented oversensitivity or history of adverse reactions to individual ingredients of the product tested. All the volunteers fulfilled the requirements of inclusion for tests and signed the Informed Consent Form (ICF). Additionally, they were informed on the purpose, methodology of the study and possible adverse effects. The skin at the application spot (arms or interscapular area) was healthy, without lesions. The volunteers were advised to exercise caution in handling the applied contact tests.

6. TESTING METHODOLOGY

The preparation in an appropriate concentration is applied onto filter paper discs of 12 mm diameter, manufactured by SmartPractice® and then fixed to the arm or interscapular area with the use of a sticking patch. At the same time, in order to guarantee objective results of the study and to exclude possible reading errors connected with dermal irritations, two control samples (control sample called "blind" and control sample containing water) are used. The dermatologist removes the patch 48 hours after the application and examines the skin reaction 30 minutes after the removal. 72 hours after the application, the dermatologist examines the skin again for a reaction. If irritations appear or persist 72 hours after the application, an additional examination takes place after 96 hours. While determining the skin reaction, the dermatologist assesses the irritating and sensitising effects of the tested product. The study results may be influenced by factors such as lifestyle, stress, diet, environmental conditions, etc.

7. DATE OF THE STUDY

25.04.2023 – 28.04.2023

Prepared by: Anna Adamska, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

TEST REPORT No. 134858/23/INT
8. EVALUATION PARAMETERS

| EVALUATION PARAMETERS OF SKIN REACTION | |
|--|-----------------------------|
| Erythema | Classification point |
| No erythema | 0 |
| Light erythema | 0.5 |
| Erythema and/or papules | 1 |
| Erythema and/or papules and/or vesicles | 2 |
| Erythema and/or papules and/or vesicles and/or blisters | 3 |
| Erythema Bullous and/or ulcerative reaction and/or papules and/or vesicles and/or blisters | 4 |
| Edema | Classification point |
| No edema | 0 |
| Very light edema (hardly visible) | 1 |
| Light edema | 2 |
| Moderate edema (about 1mm raised skin) | 3 |
| Strong edema (extended swelling even beyond the application area) | 4 |

Prepared by: Anna Adamska, Technician
 Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
 Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

TEST REPORT No. 134858/23/INT
9. RESULTS
9.1. CHARACTERISTICS OF VOLUNTEERS
Table 1

| No. of subject | Identification of subject | Beginning of the study | Age | Sex | Phototype |
|----------------|---------------------------|------------------------|-----|--------------|----------------------|
| 1 | DAW.NA | 25.04.2023 | 24 | F | II |
| 2 | JAN.AG | 25.04.2023 | 35 | F | II |
| 3 | JAŻ.MA | 25.04.2023 | 43 | F | II |
| 4 | RUS.MA | 25.04.2023 | 53 | F | II |
| 5 | ANT.ZO | 25.04.2023 | 68 | F | II |
| 6 | KRU.KA | 25.04.2023 | 32 | F | II |
| 7 | GAŚ.ZE | 25.04.2023 | 53 | F | II |
| 8 | PIĘ.EL | 25.04.2023 | 55 | F | II |
| 9 | KŁU.JA | 25.04.2023 | 20 | M | II |
| 10 | NOW.DA | 25.04.2023 | 69 | F | II |
| 11 | SZU.ZO | 25.04.2023 | 60 | F | II |
| 12 | LEW.JO | 25.04.2023 | 26 | F | II |
| 13 | MIL.KA | 25.04.2023 | 30 | F | II |
| 14 | SZL.JO | 25.04.2023 | 50 | F | II |
| 15 | KŁU.JO | 25.04.2023 | 45 | F | II |
| 16 | BIE.IZ | 25.04.2023 | 34 | F | II |
| 17 | CZE.MI | 25.04.2023 | 68 | F | II |
| 18 | BED.AG | 25.04.2023 | 47 | F | II |
| 19 | FLO.MA | 25.04.2023 | 25 | F | II |
| 20 | DŻW.AN | 25.04.2023 | 50 | F | II |
| 21 | MAZ.JO | 25.04.2023 | 63 | F | II |
| 22 | WÓJ.KL | 25.04.2023 | 32 | F | II |
| 23 | SER.DA | 25.04.2023 | 58 | F | II |
| 24 | KRU.NA | 25.04.2023 | 44 | F | II |
| 25 | MAZ.MA | 25.04.2023 | 59 | F | II |
| | | Min | 20 | No. F | phototype I |
| | | Max | 69 | 24 | 0 |
| | | Average | 46 | No. M | phototype II |
| | | | | 1 | 25 |
| | | | | | phototype III |
| | | | | | 0 |
| | | | | | phototype IV |
| | | | | | 0 |

Table 1. Characteristics of volunteers with negative history of allergies

Prepared by: Anna Adamska, Technician
 Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
 Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

TEST REPORT No. 134858/23/INT
9.2. TABLE OF SKIN RESPONSE
Table 2

| No. | Evaluation after 48 hours of product application | | Evaluation after 72 hours of product application | | Evaluation after 96 hours of product application | |
|-----|--|-------|--|-------|--|-------|
| | Erythema | Edema | Erythema | Edema | Erythema | Edema |
| 1 | 0 | 0 | 0 | 0 | Examination skipped | |
| 2 | 0 | 0 | 0 | 0 | Examination skipped | |
| 3 | 0 | 0 | 0 | 0 | Examination skipped | |
| 4 | 0 | 0 | 0 | 0 | Examination skipped | |
| 5 | 0 | 0 | 0 | 0 | Examination skipped | |
| 6 | 0 | 0 | 0 | 0 | Examination skipped | |
| 7 | 0 | 0 | 0 | 0 | Examination skipped | |
| 8 | 0 | 0 | 0 | 0 | Examination skipped | |
| 9 | 0 | 0 | 0 | 0 | Examination skipped | |
| 10 | 0 | 0 | 0 | 0 | Examination skipped | |
| 11 | 0 | 0 | 0 | 0 | Examination skipped | |
| 12 | 0 | 0 | 0 | 0 | Examination skipped | |
| 13 | 0 | 0 | 0 | 0 | Examination skipped | |
| 14 | 0 | 0 | 0 | 0 | Examination skipped | |
| 15 | 0 | 0 | 0 | 0 | Examination skipped | |
| 16 | 0 | 0 | 0 | 0 | Examination skipped | |
| 17 | 0 | 0 | 0 | 0 | Examination skipped | |
| 18 | 0 | 0 | 0 | 0 | Examination skipped | |
| 19 | 0 | 0 | 0 | 0 | Examination skipped | |
| 20 | 0 | 0 | 0 | 0 | Examination skipped | |
| 21 | 0 | 0 | 0 | 0 | Examination skipped | |
| 22 | 0 | 0 | 0 | 0 | Examination skipped | |
| 23 | 0 | 0 | 0 | 0 | Examination skipped | |
| 24 | 0 | 0 | 0 | 0 | Examination skipped | |
| 25 | 0 | 0 | 0 | 0 | Examination skipped | |

Table 2. Results for volunteers with negative history of allergies

Prepared by: Anna Adamska, Technician
 Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
 Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

TEST REPORT No. 134858/23/INT
10. CALCULATED VALUES

The following calculated values present the sum of negative reaction (erythema and edema) defined as Average Irritation Index (X_{av}).

| | Evaluation after 48 hours of product application | | Evaluation after 72 hours of product application | | Evaluation after 96 hours of product application | |
|--|--|-------|--|-------|--|-------|
| | Erythema | Edema | Erythema | Edema | Erythema | Edema |
| The sum of negative reaction (the sum of classification points) | 0.00 | 0.00 | 0.00 | 0.00 | Examination skipped | |
| X_{av} | 0.00 | | | | | |

11. INTERPRETATION

The average irritation index (X_{av}) was calculated. The product was then classified according to the following table:

| Average irritation index (x_{av}) | Class |
|---|-----------------------|
| $X_{av} < 0.50$ | Non irritating |
| $0.50 \leq X_{av} < 2.00$ | Slightly irritating |
| $2.00 \leq X_{av} < 5.00$ | Moderately irritating |
| $5.00 \leq X_{av}$ | Highly irritating |

Prepared by: Anna Adamska, Technician
 Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
 Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl

TEST REPORT No. 134858/23/INT**12. CONCLUSION**

The patch test study was performed under dermatological control on a group of 25 volunteers. The study allows to conclude that product 954/23 used by volunteers, who didn't report documented oversensitivity or a history of adverse reactions to individual ingredients of the tested product, is well tolerated by the skin. In the tested group of volunteers there were no irritations or allergic reactions. The product meets the requirements of compatibility test with the skin (Skin Compatibility Test) and can be classified as NON IRRITATING.

13. SIGNATURES

| | | |
|--|-----------------------------------|--|
| Technician | Anna Adamska | |
| Dermatologist - venereologist | Karolina Osiecka (2487308) | |
| Project Manager | Paulina Maciszka | |

The Client is responsible for conformity with the declared quality composition as well as microbiological purity of the delivered samples.
Attention: The released opinion of dermatological compatibility does not apply to people who are allergic to any ingredient of the tested product.

Prepared by: Anna Adamska, Technician
Authorized by: Karolina Osiecka (2487308), Dermatologist - venereologist
Paulina Maciszka, Project Manager (qualified electronic signature)

Laboratory: ul. Bajana 3D, 80-463 Gdańsk

The results relate to the analysed samples only. This Report cannot be reproduced partially without a prior written consent of J.S. Hamilton Poland Sp. z o.o. Responsibility of J.S. Hamilton Poland Sp. z o.o. is restricted exclusively to the results and statements presented in original copy of the Report. The service confirmed by this Report is subject to the General Terms and Conditions of Services of J.S. Hamilton Poland Sp. z o.o. published on www.hamilton.com.pl